1						
Ref #	Hits	Search Query	OBs	Default Operator	Plurals	Time Stamp
	1	g05b19/05.ipc.	US-PGPUB; USPAT	OR	OFF	2007/02/07 17:51
	=	"10797225"	US-PGPUB; USPAT	æ	OFF.	2007/02/07 17:31
	-	overwritst near memory near (boot?up start power?up) and @ad<"20030321"	US-PGPUB; USPAT	ĕ	PF.	2007/02/07 17:34
	0	over?writ\$4 near memory near (boot?up start power?up) and @ad<"20030321"	US-PGPUB; USPAT	Ř	OFF.	2007/02/07 17:34
	77	over?writ\$4 near memory and @ad<"20030321"	US-PGPUB; USPAT	8	PFO	2007/02/07 17:35
	. 1446	overwrit\$4 near memory and @ad<"20030321"	US-PGPUB; USPAT	8	胀	2007/02/07 17:35
	σ.	(cigarret cigar) with process\$3 with (memory storage) and @ad<"20030321"	US-PGPUB; USPAT	Ŗ .	OFF	2007/02/07 17:41
	4	(controller near (interface bus) same (memory) same processor) and (manufacture near process) and @ad<"20030321"	US-PGPUB; USPAT	æ	OFF	2007/02/07 17:46
S10		(controller near (interface bus) same (memory) same processor) and (manufacture near process) and "700".clas. and @ad<"20030321"	US-PGPUB; USPAT	æ	OFF	2007/02/07 17:49
211	853	700/95.ccls. 700/96.ccls. and @ad<"20030321"	US-PGPUB; USPAT	ĕ	FF0	2007/02/07 17:49
512	6272	S11 (cigarrett cigar)	US-PGPUB; USPAT	8	OFF	2007/02/07 17:50
513	0	S11 and (cigarrett cigar)	US-PGPUB; USPAT	8	OFF	2007/02/07 17:50
S14	-	g05b19/05.ipc. g07c3/08.ipc.	US-PGPUB; USPAT	8 8	OFF	2007/02/07 17:51
515	0	g05b19/05.ipc. g07c3/08.ipc.	DERWENT	ĕ	OFF.	2007/02/07 17:51
S16	-	"19831867"	DERWENT	8	뜌	2007/02/07 17:52
517	-	"19831867"	FPRS; DERWENT	8 8	P.	2007/02/07 17:53
S18	2	"19831867"	FPRS; EPO; DERWENT	Ř	PF.	2007/02/07 18:24
S19	4	"19845764" "19914297" "19701323" "19908866"	DERWENT	ĕ	OFF	2007/02/07 17:59

>
ō
2
Ï
Ę
ea
S
5
Z

25

		Contract of the Contract of th				
S20	T	"6505084".pn.	FPRS; EPO; DERWENT	OR	OFF	2007/02/07 18:24
521	-	"20060155397"	US-PGPUB; USPAT	OR	OFF	2007/02/07 18:30
225	0	(update and configuration) near circut and @ad<"20030321"	US-PGPUB; USPAT	æ	OFF	2007/02/07 19:06
g	1531	(update and configur\$6) near (circut device apparatus system) and @ad<"20030321"	US-PGPUB; USPAT	S.	0FF	2007/02/07 19:07
S24	0	(update and configur\$6) near (circut device apparatus system) same programmable and @ad<"20030321"	US-PGPUB; USPAT	SO.	OFF	2007/02/07 19:07
S25	231	(update and configur\$6) near (circut device apparatus system) and programmable and @ad<"20030321"	US-PGPUB; USPAT	R	OFF	2007/02/07 19:08
S26	233	(update and configur\$6) near (circut device apparatus system) and programmable with memory and @ad<"20030321"	US-PGPUB; USPAT		OFF	2007/02/07 19:08
257	¥	(update and configur\$6) near (circut device apparatus system) and programmable near memory and @ad<"20030321"	US-PGPUB; USPAT	g	OFF	2007/02/07 19:11
828	257	memory near request\$3 near3 (update configur\$6) and @ad<"20030321"	US-PGPUB; USPAT	æ	OF.	2007/02/07 19:13
823	88	memory near request\$3 near3 (update configur\$6) and programmable and @ad<"20030321"	US-PGPUB; USPAT	ĕ	OFF	2007/02/07 19:13
830	6	memory near request\$3 near3 (update configur\$6) same programmable and @ad<"20030321"	US-PGPUB; USPAT	80	OFF	2007/02/07 19:13
83	133	removable near (memory storage) near2(configur\$6 format\$3 updat\$4 adapt\$6) and @rlad<"20030321" and @ad<"20030321"	US-PGPUB; USPAT	SO.	OFF	2007/02/08 09:23
. 83	2	removable near (memory storage) near2(configurs6 formats3 updats4 adapts6) and "700".clas. and @had<*20030321" and @ad<*20030321"	US-PGPUB; USPAT	OR	OFF	2007/02/08 10:45

2/13/2007 2:21:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

Page 2

10:45	1:13	0:20	1:14	1:14	1:14	1:51	1:53	2:35	5:36
2007/02/08 10:45	2007/02/08 11:13	2007/02/08 10:50	2007/02/08 11:14	2007/02/08 11:14	2007/02/08 11:14	2007/02/08 11:51	2007/02/08 11:53	2007/02/08 12:35	2007/02/08 12:36
카	OFF.	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
&	క	8	S S	g .	S S	g	8	SO.	%
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	USPAT	USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
removable near (memory storage) near2(configur\$6 format\$3 updat\$4 adapt\$6) near data and "700".clas. and @rlad<"20030321" and @ad<"20030321"	removable near (memory storage) near2(configurs6 formats3 updats4 adapts6) am "710".clas. and @hdac*20030321" and @ad<"20030321"	removable near (memory storage) near2(configur\$6 format\$3 updat\$4 adapt\$6) and "709".clas. and @had<"20030321" and @ad<"20030321"	(plug?n?play plug?and?play PNP (PCMCIA near card) hot?swap\$3 (removable near (memory storage))) near2(configur\$6 format\$3 updat\$4 adapt\$6) and "700" clas. and @riad~"2003331" and @ad<"20030321"	(plug?n?play plug?and?play PNP (PCMCIA near card) hot?swap\$3 (removable near (memory storage))) near2(configur\$6 format\$3 updat\$4 adapt\$6) and "710" clas. and @nlad «"20030321" and @ad <"20030321"	(plug?n?play plug?and?play PNP (PCMCIA near card) hot?swap\$3) near2(configur\$6 formar\$3 updat\$4 adapr\$6) and "710" clas. and @had~"20030321" and @ad<"20030321" and	"6505084".pn.	remote near (memory storage) near stor\$6 near2 (configur\$6 utility) near data and @ad<"20030221"	removable near (memory storage) near stor\$6 near2 (configur\$6 updat\$6 utility) near data and @ad<"20030221"	removable near (memory storage) near stor\$6 near2 (install\$6) near data and @ad<"20030221"
0	14	^	15	84	34	-	16	2	15
ജ	34	SS	236	833	8	द्ध	3	8	*

## **EAST Search History**

2007/02/08 12:59	2007/02/08 14:51	2007/02/09 13:27	2007/02/09 13:30	2007/02/09 13:30	2007/02/09 13:32	2007/02/09 13:31	2007/02/09 13:31	2007/02/09 13:32	2007/02/09 13:33	2007/02/09 13:33	2007/02/09 13:33	2007/02/09 13:36	2007/02/09 13:36	2007/02/09 13:38
PF0	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
R	క	æ	æ	용 .	æ	g	R	g	8	g S	ଞ	8	g	క
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
removable near (memory storage) near stors6 near? ((installs6) near (data program)) and @ad<"20030221"	removable near (memory storage) near stor\$6 near2 ((installATION) near (data program)) and @ad<"20030221"	(overwrit\$3) near2 ((installATION) near (data program)) and @ad<"20030221"	G06f15/00.ipc.	379/221.14.cds. and @ad<"20030321"	S50 and address near configur\$4 near5 (location identi\$8)	S50 and address near configur\$4 with (location identi\$8)	S50 and address near configur\$4	S50 and location near (identi\$8 address\$3)	address near configur\$4 near5 (location identi\$8)	address near configur\$4 near5 (location identi\$8) and @ad<"20030321"	address near configur\$4 near5 (location identi\$8) and @rlad<"20030321"	address near configur\$4 near\$ (location identi\$8) and @ad<"20030321" and @rlad<"20030321"	configur\$6 near2 interface near2 address and @ad<"20030321" and @rlad<"20030321"	(re?start re?boot restart install\$6 up?boot start?up) near2 configur\$6 near2 interface near2 address and @ad<"20030321" and @rlad<"20030321"
12	-		2426	143	0	0	0	17	26	92	19	11	45	0
<b>£</b>	<b>ኔ</b>	₹	\$49	S20	S51	S52	S53	S54	S25	SS6	257		828	98

2/13/2007 2:21:02 PM C:\Documents\EAST\Workspaces\10797225.wsp

2007/02/09 13:39	2007/02/09 13:39	2007/02/09 13:44	2007/02/09 13:45	2007/02/09 13:45	2007/02/09 13:50	2007/02/09 13:51	2007/02/09 14:29	2007/02/09 14:30	2007/02/09 14:35	2007/02/09 14:48	2007/02/09 14:49
#O	9F6	Ŗ H	H-0	HO.	FFO	- OFF	FF0	OFF	FP.	OFF	OFF
క	æ	8 8	æ	SO.	8	S.	g g	e e	ĕ	8	S.
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
(re/start re/boot restart installs6 up/boot start/up) near5 (configur\$6 near2 interface near2 address) and @ad<"20030321" and @nlad<"20030321"	(re?start re?boot restart install\$6 up?boot start?up) with (configur\$6 meaz Interface near2 address) and @ad<*2003/0311" and @nlad<*2003/0311"	S59 and "700".clas.	configur\$5 adj interface	(address locat\$4) near2 (configur\$5 adj interface) and @ad<"200303221"	(address locat\$4) near2 (configur\$5 adj interface) and @ad<"200303221" and @nlad<"200303321"	"configurable Interface" "interface address" and @ad<"200303221" and @rlad<"20030321"	interface near configured near address and @ad<"200303221" and @rlad<"20030321".	controller near unique near address and @ad<"20030321" and @rlad<"20030321".	(device controller) near unique near address and @ad<"200303221" and @rlad<"20030321."	(device controls4) near unique near address and instal\$5 and @ad<"200303221" and @nlad<"200303221" and	(device control\$4) near unique near address and instal\$5 near (data info\$8) and @ad<"200303221" and @rlad<"20030321"
0	0	2	10596	&	50	1143	o.	14	167	105	0
S61	295	SS	88 48	265	998	295	898	698	S70	571	572

**EAST Search History** 

873	8	(US-5253214+\$ or US-5274782-\$ or US-4267569-\$ or US-428658-\$ or US-428656-\$ or US-428656-\$ or US-4285510-\$ or US-4287560-\$ or US-4287560-\$ or US-4287560-\$ or US-5287363-\$ or US-5287363-\$ or US-5287363-\$ or US-61723-\$ or US-61723-\$ or US-61723-\$ or US-6189082-\$ or US-6189083-\$ or US-6189083-\$ or US-6189193-\$ or US-61871931-\$	USPAT	ĕ	FF0	2007/02/09 15:43
S74	12	S73 and instal\$6	USPAT	S,	OFF	2007/02/09 15:45
S75	0	S73 and instal\$6 near (program software)	USPAT	SO.	OFF.	2007/02/09 15:46
92S	25	S73 and (program software)	USPAT	g	OFF	2007/02/11 11:58
277	23	S73 and ((program and instruct\$4) software)	USPAT	ğ	PP.	2007/02/09 15:47
S78	16	S73 and ((program near instruct\$4) software)	USPAT	g	OFF	2007/02/09 15:49
S73	. 16	S73 and ((program near instruct\$4) software) and (identi\$6 locat\$4 address)	USPAT	Ř	OFF	2007/02/09 15:49
88	N	S73 and ((program near instruct\$4) software) and (identi\$6) near (locat\$4 address)	USPAT	ĕ	OFF	2007/02/09 15:50
	9	S73 and controller near (locat\$4 address identi\$6)	USPAT	æ	OFF	2007/02/09 15:50
285	4475	(code instruction program data) near4 (match compar\$4 identical) and "700".clas.	USPAT	S.	OFF	2007/02/11 12:00
283	4115	(code instruction program data) near4 (match compar\$4 identical) and "700".clas. and @ad<"20030321"	USPAT	8	OFF	2007/02/11 12:01
<b>8</b> 8	1820	(code instruction program data) near (match compar\$4 identical) and "700".clas. and @ad<"20030321"	USPAT	æ	OFF	2007/02/11 12:01
885	32	(machine device automation) near (code instruction program data) near2 (match compar\$4 identical) and "700".clas. and @ad<"20030321"	USPAT	OR	OFF	2007/02/11 12:04

213/2007 2:21:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

2/13/2007 2:21:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

10		~				10				
2007/02/11 12:05	2007/02/11 12:11	2007/02/11 12:22	2007/02/11 12:22	2007/02/11 12:31	2007/02/11 12:35	2007/02/11 12:35	2007/02/11 12:35	2007/02/12 07:46	2007/02/12 10:03	2007/02/12 10:03
7/02/1:	//02/1:	702/11		702/11	//02/11	//02/11	//02/11	702/12	/07/13	/02/12
2007	2002	5002	2002	2007	500%	5002	2007	7007	2002	2007
OFF	OFF	OFF	PF0	OFF	FO	유 -	FF0	140	OFF	9FF
8	<u></u> 8	8	<u>g</u>	<u></u> 8	ő .	ĕ	8	క	ğ	క
USPAT USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
(machine device automation) near (code instruction program data) near2 (macht compar≴4 identical) and "700".das. and @ad<"20030321"	(machine device automation) near (code instruction program data) near (match compar\$4 identical) and "700".das. and @ad<"20030321"	(restart boot?up start) same ((machine device) adj (code information data signal)) near (machi identical compatible equal parallel) near ((machine device) adj (code information data signal)) and @ad < "20030321"	((machine device) adj (code information data signal)) near (mach dentical compatible equal parallet) near ((machine device) adj (code information data signal)) and @ad<"20030321"	((machine device) adj (code information data signal)) near (match identical compatible equal parallel) near ((machine device) adj (code information data signal)) same instal\$4 and @ad<"20030321"	(execute perform process) near (match compati\$5 equal) near (data information signal code) and @ad<"20030321"	(execute perform process) near (when if) near (match compati\$5 equal) near (data information signal code) and @ad<"20030321"	(execute perform process) near (when if) near (match compati\$5 equal) and @ad<"20030321"	(execute perform process) near (match compati\$5 equal) near (data information signal code) and "700". clas, and @ad<"20030321"	"6317804".pn.	"5297262".pn.
36	15		\$	11	78	0	0	9		-
065	265	293	<b>%</b>	\$65	<del></del>	265	 865		S10 0	S10

2 USPAT	S10	-	1 "20040172494"	US-PGPUB; OR	క	OFF	2007/02/12 10:03
	7			USPAT			

2/13/2007 2:21:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

Page 7

2/13/2007 2:21:02 PM C:\Documents and Settings\bdews\My Documents\EAST\Workspaces\10797225.wsp

Page (